

## Appendix B. Major Facilities in Connecticut Exceeding their Clean Water Act Permits at Least Once, January 1, 2002-June 30, 2003

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period	Qty Avg %	Qty Max %	Conc Min %	Conc Avg %	Conc Max %
					End Date	Violation	Violation	Violation	Violation	Violation
CT0000434	AHLSTROM WINDSOR LOCKS COGENER	WINDSOR LOCKS	CONNECTICUT RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2002	0	0	0	0	425
CT0000434	AHLSTROM WINDSOR LOCKS COGENER	WINDSOR LOCKS	CONNECTICUT RIVER	OIL & GREASE	1/31/2003	0	0	0	0	30
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	1/31/2002	0	0	0	37	0
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	4/30/2002	0	0	0	129	14
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	4/30/2002	0	0	0	134	17
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	0	213	56
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	0	271	86
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2002	0	0	0	271	86
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2002	0	0	0	173	36
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	7/31/2002	0	0	0	14	0
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	FLOW RATE	7/31/2002	14	0	0	0	0
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	FLOW RATE	9/30/2002	1	0	0	0	0
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	LEAD, TOTAL (AS PB)	6/30/2002	0	0	0	0	27
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	NICKEL, TOTAL (AS NI)	7/31/2002	0	0	0	30	0
CT0003701	ALLEGHENY LUDLUM CORPORATION	WALLINGFORD	QUINNIPIAC RIVER	NICKEL, TOTAL (AS NI)	9/30/2002	4	0	0	3	0
CT0021831	ALPHA PLATING & FINISHING	PLAINVILLE	PEQUABUCK RIVER	PH	1/31/2003	0	0	0	0	1

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0002968	ANSONIA COPPER & BRASS	ANSONIA	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	6/30/2003	0	0	0	185	90
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	CHLORINE, TOTAL RESIDUAL	2/28/2002	0	0	0	0	53
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	CHLORINE, TOTAL RESIDUAL	10/31/2002	0	0	0	0	41
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	CHLORINE, TOTAL RESIDUAL	12/31/2002	0	0	0	0	47
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	IRON, TOTAL (AS FE)	3/31/2002	0	0	0	17	0
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	IRON, TOTAL (AS FE)	5/31/2002	0	0	0	1	0
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	IRON, TOTAL (AS FE)	6/30/2002	0	0	0	35	2
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	IRON, TOTAL (AS FE)	8/31/2002	0	0	0	202	290
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	IRON, TOTAL (AS FE)	12/31/2002	0	0	0	73	124
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	IRON, TOTAL (AS FE)	5/31/2003	0	0	0	0	3
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	PH	11/30/2002	0	0	0	0	9
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	PH	2/28/2003	0	0	0	0	36
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	SOLIDS, TOTAL SUSPENDED	12/31/2002	0	0	0	0	23
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	ZINC, TOTAL (AS ZN)	2/28/2002	0	0	0	54	88
CT0000159	ATLANTIC CS & W, LLC	BRANFORD BORO	BRANFORD RIVER	ZINC, TOTAL (AS ZN)	5/31/2002	0	0	0	36	107
CT0100048	BRANFORD WPCF	BRANFORD BORO	BRANFORD HARBOR	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	8	0	0	0	0
CT0030180	BRIDGEPORT ENERGY LLC	BRIDGEPORT	BRIDGEPORT HARBOR	TEMPERATURE, WATER DEG. FAHRENHEIT	6/30/2002	0	0	0	0	21
CT0030180	BRIDGEPORT ENERGY LLC	BRIDGEPORT	BRIDGEPORT HARBOR	TEMPERATURE, WATER DEG. FAHRENHEIT	7/31/2002	0	0	0	0	13

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0030180	BRIDGEPORT ENERGY LLC	BRIDGEPORT	BRIDGEPORT HARBOR	TEMPERATURE, WATER DEG. FAHRENHEIT	8/31/2002	0	0	0	0	5
CT0030180	BRIDGEPORT ENERGY LLC	BRIDGEPORT	BRIDGEPORT HARBOR	TEMPERATURE, WATER DEG. FAHRENHEIT	9/30/2002	0	0	0	0	15
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	BOD, 5-DAY (20 DEG. C)	11/30/2002	0	0	0	0	268
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	BOD, 5-DAY (20 DEG. C)	12/31/2002	0	0	0	0	46
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	BOD, 5-DAY (20 DEG. C)	1/31/2003	0	0	0	0	96
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	BOD, 5-DAY (20 DEG. C)	2/28/2003	0	0	0	0	60
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	BOD, 5-DAY (20 DEG. C)	4/30/2003	0	0	0	0	144
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	BOD, 5-DAY (20 DEG. C)	6/30/2003	0	0	0	0	60
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	BOD, 5-DAY PERCENT REMOVAL	11/30/2002	0	0	47	0	0
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	BOD, 5-DAY PERCENT REMOVAL	1/31/2003	0	0	7	0	0
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	BOD, 5-DAY PERCENT REMOVAL	4/30/2003	0	0	47	0	0
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	CHLORINE, TOTAL RESIDUAL	10/31/2002	0	0	0	0	1
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	13	0	0	0	0
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	11/30/2002	0	0	7	0	0
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	1/31/2003	0	0	93	0	0
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	4/30/2003	0	0	120	0	0
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2002	0	0	0	0	14
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, TOTAL SUSPENDED	7/31/2002	0	0	0	0	76

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, TOTAL SUSPENDED	10/31/2002	0	0	0	0	44
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, TOTAL SUSPENDED	11/30/2002	0	0	0	47	632
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, TOTAL SUSPENDED	12/31/2002	0	0	0	0	140
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, TOTAL SUSPENDED	1/31/2003	0	0	0	10	252
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, TOTAL SUSPENDED	2/28/2003	0	0	0	0	204
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, TOTAL SUSPENDED	4/30/2003	0	0	0	47	540
CT0101010	BRIDGEPORT-EAST SIDE WPCF	BRIDGEPORT	POQUONNOCK RIVER	SOLIDS, TOTAL SUSPENDED	6/30/2003	0	0	0	0	52
CT0100056	BRIDGEPORT-WEST WPCA	BRIDGEPORT	CEDAR CREEK/LONG ISLAND SOUND	BOD, 5-DAY (20 DEG. C)	4/30/2003	0	0	0	0	206
CT0100056	BRIDGEPORT-WEST WPCA	BRIDGEPORT	CEDAR CREEK/LONG ISLAND SOUND	BOD, 5-DAY (20 DEG. C)	5/31/2003	0	0	0	34	250
CT0100056	BRIDGEPORT-WEST WPCA	BRIDGEPORT	CEDAR CREEK/LONG ISLAND SOUND	BOD, 5-DAY PERCENT REMOVAL	4/30/2003	0	0	47	0	0
CT0100056	BRIDGEPORT-WEST WPCA	BRIDGEPORT	CEDAR CREEK/LONG ISLAND SOUND	BOD, 5-DAY PERCENT REMOVAL	5/31/2003	0	0	221	0	0
CT0100056	BRIDGEPORT-WEST WPCA	BRIDGEPORT	CEDAR CREEK/LONG ISLAND SOUND	COLIFORM, FECAL GENERAL	5/31/2003	0	0	0	0	425
CT0100056	BRIDGEPORT-WEST WPCA	BRIDGEPORT	CEDAR CREEK/LONG ISLAND SOUND	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	4/30/2003	10	0	0	0	0
CT0100056	BRIDGEPORT-WEST WPCA	BRIDGEPORT	CEDAR CREEK/LONG ISLAND SOUND	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	22	0	0	0	0
CT0100056	BRIDGEPORT-WEST WPCA	BRIDGEPORT	CEDAR CREEK/LONG ISLAND SOUND	SOLIDS, SUSPENDED PERCENT REMOVAL	4/30/2003	0	0	20	0	0
CT0100056	BRIDGEPORT-WEST WPCA	BRIDGEPORT	CEDAR CREEK/LONG ISLAND SOUND	SOLIDS, SUSPENDED PERCENT REMOVAL	5/31/2003	0	0	170	0	0
CT0100056	BRIDGEPORT-WEST WPCA	BRIDGEPORT	CEDAR CREEK/LONG ISLAND SOUND	SOLIDS, TOTAL SUSPENDED	4/30/2003	0	0	0	0	128
CT0100056	BRIDGEPORT-WEST WPCA	BRIDGEPORT	CEDAR CREEK/LONG ISLAND SOUND	SOLIDS, TOTAL SUSPENDED	5/31/2003	0	0	0	151	556

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	COPPER, TOTAL (AS CU)	9/30/2002	2	81	0	0	0
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	COPPER, TOTAL (AS CU)	6/30/2003	12	0	0	0	0
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	13	0	0	0	0
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	4/30/2003	6	0	0	0	0
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	25	0	0	0	0
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	OXYGEN, DISSOLVED (DO)	7/31/2002	0	0	78	0	0
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	OXYGEN, DISSOLVED (DO)	8/31/2002	0	0	40	0	0
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	OXYGEN, DISSOLVED (DO)	6/30/2003	0	0	14	0	0
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	PH	6/30/2002	0	0	11	0	0
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	PH	7/31/2002	0	0	5	0	0
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	3/31/2003	0	0	164	0	0
CT0100374	BRISTOL WATER RECLAMATION FAC.	BRISTOL	PEQUABUCK RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2003	0	0	0	0	111
CT0020648	CHANDLER EVENS CONTROL SYSTEMS	WEST HARTFORD	PERMIT REVOKED	CHROMIUM, HEXAVALENT (AS CR)	4/30/2002	0	0	0	45	190
CT0020648	CHANDLER EVENS CONTROL SYSTEMS	WEST HARTFORD	PERMIT REVOKED	FLOW RATE	2/28/2002	0	100	0	0	0
CT0020648	CHANDLER EVENS CONTROL SYSTEMS	WEST HARTFORD	PERMIT REVOKED	FLOW RATE	3/31/2002	0	200	0	0	0
CT0100081	CHESHIRE WPCD	CHESHIRE	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2003	0	0	0	0	264
CT0000744	CHROMIUM PROCESS COMPANY	SHELTON	HOUSATONIC RIVER	NICKEL, TOTAL (AS NI)	4/30/2002	0	0	0	3	0
CT0000744	CHROMIUM PROCESS COMPANY	SHELTON	HOUSATONIC RIVER	SOLIDS, TOTAL SUSPENDED	9/30/2002	0	0	0	0	30
CT0022420	CIRCUIT WISE INC	NORTH HAVEN	QUINNIPIAC RIVER	IRON, TOTAL (AS FE)	1/31/2003	0	0	0	0	115

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0022420	CIRCUIT WISE INC	NORTH HAVEN	QUINNIPIAC RIVER	SOLIDS, TOTAL SUSPENDED	1/31/2003	0	0	0	0	60
CT0101184	CITY OF GROTON WPCA	GROTON	THAMES RIVER	BOD, 5-DAY (20 DEG. C)	3/31/2002	0	0	0	0	146
CT0101184	CITY OF GROTON WPCA	GROTON	THAMES RIVER	BOD, 5-DAY (20 DEG. C)	12/31/2002	0	0	0	0	14
CT0101184	CITY OF GROTON WPCA	GROTON	THAMES RIVER	BOD, 5-DAY (20 DEG. C)	4/30/2003	0	0	0	0	48
CT0101184	CITY OF GROTON WPCA	GROTON	THAMES RIVER	BOD, 5-DAY (20 DEG. C)	5/31/2003	0	0	0	0	320
CT0101184	CITY OF GROTON WPCA	GROTON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2002	0	0	0	20	470
CT0101184	CITY OF GROTON WPCA	GROTON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	4/30/2003	0	0	0	0	64
CT0101184	CITY OF GROTON WPCA	GROTON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2003	0	0	0	0	70
CT0100714	CITY OF SHELTON	SHELTON	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2002	90082	0	0	0	0
CT0100714	CITY OF SHELTON	SHELTON	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	5/31/2002	7	0	0	0	0
CT0100714	CITY OF SHELTON	SHELTON	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2002	4	0	0	0	0
CT0100714	CITY OF SHELTON	SHELTON	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	1/31/2003	8	0	0	0	0
CT0100714	CITY OF SHELTON	SHELTON	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	22	0	0	0	0
CT0100714	CITY OF SHELTON	SHELTON	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	4/30/2003	20	0	0	0	0
CT0100714	CITY OF SHELTON	SHELTON	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	5/31/2003	4	0	0	0	0
CT0100714	CITY OF SHELTON	SHELTON	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	14	0	0	0	0
CT0003123	CONNECTICUT YANKEE ATOMIC POWE	HADDAM	CONNECTICUT RIVER AT HADDAM NECK	IRON, TOTAL (AS FE)	4/30/2003	0	0	0	0	20
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	BIS (2-ETHYLHEXYL) PHTHALATE	7/31/2002	0	0	0	0	36
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	100	0	43
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2002	0	0	40	0	7
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	8/31/2002	0	0	100	0	43
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	8/31/2002	0	0	0	0	167
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	9/30/2002	0	0	60	0	0
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2003	0	0	0	0	7
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	LEAD, TOTAL (AS PB)	8/31/2002	0	0	0	0	380
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	LEAD, TOTAL (AS PB)	5/31/2003	0	0	0	0	80

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	OIL & GREASE	5/31/2003	0	0	0	0	30
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	SOLIDS, TOTAL SUSPENDED	6/30/2003	0	0	0	0	20
CT0000086	CYTEC INDUSTRIES INC.	WALLINGFORD	QUINNIPIAC RIVER	ZINC, TOTAL (AS ZN)	8/31/2002	0	0	0	0	5
CT0100145	DANBURY WPCF	DANBURY	STILL RVR(E. SWAMP/LIMEKILN BROOKS)	COPPER, TOTAL (AS CU)	3/31/2003	0	0	0	150	136
CT0100145	DANBURY WPCF	DANBURY	STILL RVR(E. SWAMP/LIMEKILN BROOKS)	ZINC, TOTAL (AS ZN)	3/31/2003	0	0	0	21	40
CT0021300	DELTA RUBBER CO.SUBSIDIARY OF	KILLINGLY	QUINEBAUG RIVER	IRON, TOTAL (AS FE)	12/31/2002	0	0	0	0	17
CT0003131	DOW CHEMICAL USA ALLYNS POINT	LEDYARD	THAMES RIVER / ALLYNS COVE POND	BOD, 5-DAY (20 DEG. C)	6/30/2002	101	0	0	138	22
CT0003131	DOW CHEMICAL USA ALLYNS POINT	LEDYARD	THAMES RIVER / ALLYNS COVE POND	COLIFORM, FECAL GENERAL	5/31/2002	0	0	0	192	1275
CT0003131	DOW CHEMICAL USA ALLYNS POINT	LEDYARD	THAMES RIVER / ALLYNS COVE POND	COLIFORM, FECAL GENERAL	7/31/2002	0	0	0	0	213
CT0003131	DOW CHEMICAL USA ALLYNS POINT	LEDYARD	THAMES RIVER / ALLYNS COVE POND	FLOW	3/31/2002	20	0	0	0	0
CT0003131	DOW CHEMICAL USA ALLYNS POINT	LEDYARD	THAMES RIVER / ALLYNS COVE POND	FLOW RATE	3/31/2002	20	0	0	0	0
CT0003131	DOW CHEMICAL USA ALLYNS POINT	LEDYARD	THAMES RIVER / ALLYNS COVE POND	PH	3/31/2003	0	0	7	0	0
CT0003131	DOW CHEMICAL USA ALLYNS POINT	LEDYARD	THAMES RIVER / ALLYNS COVE POND	ZINC, TOTAL (AS ZN)	6/30/2003	1	0	0	13	0
CT0024694	EAST HAMPTON WPCA	EAST HAMPTON	CONNECTICUT RIVER	BOD, CARBONACEOUS 5 DAY,5 C	3/31/2002	0	0	0	0	15
CT0024694	EAST HAMPTON WPCA	EAST HAMPTON	CONNECTICUT RIVER	CARBONACEOUS OXYGEN DEMAND, % REMOVAL	1/31/2003	0	0	37	0	0
CT0024694	EAST HAMPTON WPCA	EAST HAMPTON	CONNECTICUT RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	50	0	0
CT0024694	EAST HAMPTON WPCA	EAST HAMPTON	CONNECTICUT RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2002	0	0	0	17	62
CT0100170	EAST HARTFORD WPCF (MDC)	EAST HARTFORD	HOCKANUM RIVER	SOLIDS, TOTAL SUSPENDED	11/30/2002	0	0	0	0	34
CT0003824	ELECTRIC BOAT CORPORATION	GROTON	THAMES RIVER	CHLORINE, FREE AVAILABLE	2/28/2002	0	0	0	0	5

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0003824	ELECTRIC BOAT CORPORATION	GROTON	THAMES RIVER	CHLORINE, FREE AVAILABLE	3/31/2002	0	0	0	0	5
CT0003824	ELECTRIC BOAT CORPORATION	GROTON	THAMES RIVER	CHLORINE, FREE AVAILABLE	1/31/2003	0	0	0	0	5
CT0003824	ELECTRIC BOAT CORPORATION	GROTON	THAMES RIVER	CHLORINE, FREE AVAILABLE	4/30/2003	0	0	0	0	225
CT0101044	FAIRFIELD WPCF	FAIRFIELD	LONG ISLAND SOUND	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	5/31/2002	3	0	0	0	0
CT0101044	FAIRFIELD WPCF	FAIRFIELD	LONG ISLAND SOUND	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	11/30/2002	5	0	0	0	0
CT0101044	FAIRFIELD WPCF	FAIRFIELD	LONG ISLAND SOUND	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	12/31/2002	9	0	0	0	0
CT0101044	FAIRFIELD WPCF	FAIRFIELD	LONG ISLAND SOUND	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	1/31/2003	8	0	0	0	0
CT0101044	FAIRFIELD WPCF	FAIRFIELD	LONG ISLAND SOUND	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	14	0	0	0	0
CT0101044	FAIRFIELD WPCF	FAIRFIELD	LONG ISLAND SOUND	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	4/30/2003	10	0	0	0	0
CT0101044	FAIRFIELD WPCF	FAIRFIELD	LONG ISLAND SOUND	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	43	0	0	0	0
CT0100218	FARMINGTON WPCF	FARMINGTON	FARMINGTON RIVER	BOD, 5-DAY (20 DEG. C)	4/30/2003	0	0	0	0	134
CT0100218	FARMINGTON WPCF	FARMINGTON	FARMINGTON RIVER	CHLORINE, TOTAL RESIDUAL	4/30/2003	0	0	0	0	54
CT0100218	FARMINGTON WPCF	FARMINGTON	FARMINGTON RIVER	COLIFORM, FECAL GENERAL	4/30/2003	0	0	0	49899	24900
CT0100226	GLASTONBURY WPCF	GLASTONBURY	CONNECTICUT RIVER	BOD, 5-DAY (20 DEG. C)	2/28/2002	0	0	0	20	0
CT0100226	GLASTONBURY WPCF	GLASTONBURY	CONNECTICUT RIVER	BOD, 5-DAY (20 DEG. C)	12/31/2002	0	0	0	40	32
CT0100226	GLASTONBURY WPCF	GLASTONBURY	CONNECTICUT RIVER	BOD, 5-DAY (20 DEG. C)	2/28/2003	0	0	0	13	0
CT0100226	GLASTONBURY WPCF	GLASTONBURY	CONNECTICUT RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	0	0	33
CT0100226	GLASTONBURY WPCF	GLASTONBURY	CONNECTICUT RIVER	CHLORINE, TOTAL RESIDUAL	7/31/2002	0	0	0	0	13
CT0100226	GLASTONBURY WPCF	GLASTONBURY	CONNECTICUT RIVER	CHLORINE, TOTAL RESIDUAL	8/31/2002	0	0	0	0	13
CT0100226	GLASTONBURY WPCF	GLASTONBURY	CONNECTICUT RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2003	0	0	0	0	13
CT0100226	GLASTONBURY WPCF	GLASTONBURY	CONNECTICUT RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2003	0	0	0	0	7
CT0100226	GLASTONBURY WPCF	GLASTONBURY	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	5/31/2002	0	0	0	0	36
CT0100226	GLASTONBURY WPCF	GLASTONBURY	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	7/31/2002	0	0	0	0	340

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0100226	GLASTONBURY WPCF	GLASTONBURY	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	9/30/2002	0	0	0	29	263
CT0100234	GREENWICH WPCF	GREENWICH	GREENWICH HARBOR	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	16	0	0	0	0
CT0100251	HARTFORD MDC WPCP	HARTFORD	CONNECTICUT RIVER	BOD, 5-DAY (20 DEG. C)	11/30/2002	0	0	0	0	26
CT0100251	HARTFORD MDC WPCP	HARTFORD	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	8/31/2002	0	0	0	49899	24900
CT0100251	HARTFORD MDC WPCP	HARTFORD	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	18	0	0	0	0
CT0100251	HARTFORD MDC WPCP	HARTFORD	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	4/30/2003	2	0	0	0	0
CT0100251	HARTFORD MDC WPCP	HARTFORD	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	18	0	0	0	0
CT0100251	HARTFORD MDC WPCP	HARTFORD	CONNECTICUT RIVER	SOLIDS, SETTLEABLE	5/31/2002	0	0	0	4600	2900
CT0100251	HARTFORD MDC WPCP	HARTFORD	CONNECTICUT RIVER	SOLIDS, SETTLEABLE	11/30/2002	0	0	0	2900	900
CT0100251	HARTFORD MDC WPCP	HARTFORD	CONNECTICUT RIVER	SOLIDS, TOTAL SUSPENDED	7/31/2002	0	0	0	0	12
CT0100251	HARTFORD MDC WPCP	HARTFORD	CONNECTICUT RIVER	SOLIDS, TOTAL SUSPENDED	2/28/2003	0	0	0	0	28
CT0101257	KILLINGLY (TOWN OF) WPCF	KILLINGLY	QUINEBAUG RIVER	BOD, 5-DAY (20 DEG. C)	3/31/2002	0	0	0	23	12
CT0101257	KILLINGLY (TOWN OF) WPCF	KILLINGLY	QUINEBAUG RIVER	BOD, 5-DAY (20 DEG. C)	4/30/2002	0	0	0	0	6
CT0101257	KILLINGLY (TOWN OF) WPCF	KILLINGLY	QUINEBAUG RIVER	BOD, 5-DAY (20 DEG. C)	5/31/2002	0	0	0	0	10
CT0101257	KILLINGLY (TOWN OF) WPCF	KILLINGLY	QUINEBAUG RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	3/31/2002	0	0	27	0	0
CT0101257	KILLINGLY (TOWN OF) WPCF	KILLINGLY	QUINEBAUG RIVER	SOLIDS, TOTAL SUSPENDED	2/28/2002	0	0	0	0	28
CT0101257	KILLINGLY (TOWN OF) WPCF	KILLINGLY	QUINEBAUG RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2002	0	0	0	73	40
CT0101257	KILLINGLY (TOWN OF) WPCF	KILLINGLY	QUINEBAUG RIVER	SOLIDS, TOTAL SUSPENDED	4/30/2002	0	0	0	0	36
CT0101257	KILLINGLY (TOWN OF) WPCF	KILLINGLY	QUINEBAUG RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2002	0	0	0	0	28
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	BOD, CARBONACEOUS 5 DAY,5 C	7/31/2002	0	0	0	0	38
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	CARBONACEOUS OXYGEN DEMAND, % REMOVAL	5/31/2002	0	0	20	0	0
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	CARBONACEOUS OXYGEN DEMAND, % REMOVAL	6/30/2002	0	0	93	0	0
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	CARBONACEOUS OXYGEN DEMAND, % REMOVAL	7/31/2002	0	0	53	0	0
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	CARBONACEOUS OXYGEN DEMAND, % REMOVAL	8/31/2002	0	0	40	0	0

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	CARBONACEOUS OXYGEN DEMAND, % REMOVAL	1/31/2003	0	0	7	0	0
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	CARBONACEOUS OXYGEN DEMAND, % REMOVAL	3/31/2003	0	0	27	0	0
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	CHLORINE, TOTAL RESIDUAL	7/31/2002	0	0	0	0	33
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	7/31/2002	0	0	0	0	475
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	8/31/2002	0	0	0	49899	24900
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	12/31/2002	7	0	0	0	0
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	1/31/2003	4	0	0	0	0
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	21	0	0	0	0
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	4/30/2003	8	0	0	0	0
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	22	0	0	0	0
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	SOLIDS, TOTAL SUSPENDED	7/31/2002	0	0	0	0	68
CT0100307	MATTABASSETT DIST COMM	CROMWELL	CONNECTICUT RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2003	0	0	0	0	126
CT0100315	MERIDEN WPCF	MERIDEN	QUINNIPIAC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	12/31/2002	16	0	0	0	0
CT0100315	MERIDEN WPCF	MERIDEN	QUINNIPIAC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	1/31/2003	12	0	0	0	0
CT0100315	MERIDEN WPCF	MERIDEN	QUINNIPIAC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	31	0	0	0	0
CT0100315	MERIDEN WPCF	MERIDEN	QUINNIPIAC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	4/30/2003	26	0	0	0	0
CT0100315	MERIDEN WPCF	MERIDEN	QUINNIPIAC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	5/31/2003	3	0	0	0	0
CT0100315	MERIDEN WPCF	MERIDEN	QUINNIPIAC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	56	0	0	0	0

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0100315	MERIDEN WPCF	MERIDEN	QUINNIPIAC RIVER	NITROGEN, AMMONIA TOTAL (AS N)	10/31/2002	0	0	0	71	0
CT0100315	MERIDEN WPCF	MERIDEN	QUINNIPIAC RIVER	OXYGEN, DISSOLVED (DO)	10/31/2002	0	0	22	0	0
CT0100994	METROPOLITAN DIS./POQUONOCK	WINDSOR (MDC)	FARMINGTON RIVER	COLIFORM, FECAL GENERAL	9/30/2002	0	0	0	49899	24900
CT0100323	MIDDLETOWN STP/WATER&SEWER	MIDDLETOWN	CONNECTICUT RIVER	BOD, 5-DAY (20 DEG. C)	3/31/2002	0	0	0	30	200
CT0100323	MIDDLETOWN STP/WATER&SEWER	MIDDLETOWN	CONNECTICUT RIVER	BOD, 5-DAY (20 DEG. C)	8/31/2002	0	0	0	750	920
CT0100323	MIDDLETOWN STP/WATER&SEWER	MIDDLETOWN	CONNECTICUT RIVER	BOD, 5-DAY (20 DEG. C)	9/30/2002	0	0	0	0	44
CT0100323	MIDDLETOWN STP/WATER&SEWER	MIDDLETOWN	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	5/31/2002	0	0	0	49899	24900
CT0100323	MIDDLETOWN STP/WATER&SEWER	MIDDLETOWN	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	8/31/2002	0	0	0	49899	24900
CT0100323	MIDDLETOWN STP/WATER&SEWER	MIDDLETOWN	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	5/31/2003	0	0	0	49899	24900
CT0100323	MIDDLETOWN STP/WATER&SEWER	MIDDLETOWN	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	6/30/2003	0	0	0	49899	24900
CT0100323	MIDDLETOWN STP/WATER&SEWER	MIDDLETOWN	CONNECTICUT RIVER	FLOW RATE	3/31/2003	9	0	0	0	0
CT0100323	MIDDLETOWN STP/WATER&SEWER	MIDDLETOWN	CONNECTICUT RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	9/30/2002	0	0	50	0	0
CT0100323	MIDDLETOWN STP/WATER&SEWER	MIDDLETOWN	CONNECTICUT RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2002	0	0	0	20	98
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2002	0	0	0	0	13
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	CHLORINE, TOTAL RESIDUAL	1/31/2003	0	0	0	0	7
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	CHLORINE, TOTAL RESIDUAL	4/30/2003	0	0	0	0	100
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	COLIFORM, FECAL GENERAL	6/30/2002	0	0	0	49899	24900
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	COLIFORM, FECAL GENERAL	3/31/2003	0	0	0	49899	24900

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	10	0	0	0	0
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	PH	1/31/2002	0	0	2	0	0
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	PH	2/28/2002	0	0	8	0	0
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	PH	3/31/2002	0	0	3	0	0
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	PH	4/30/2002	0	0	10	0	0
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	PH	5/31/2002	0	0	8	0	0
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	PH	6/30/2002	0	0	15	0	0
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	PH	5/31/2003	0	0	2	0	0
CT0100749	MILFORD-BEAVER BROOK WPCP	MILFORD	HOUSATONIC RIVER	PH	6/30/2003	0	0	5	0	0
CT0101656	MILFORD-HOUSATONIC WPCF	MILFORD	HOUSATONIC RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	50	0	200
CT0101656	MILFORD-HOUSATONIC WPCF	MILFORD	HOUSATONIC RIVER	COLIFORM, FECAL GENERAL	4/30/2002	0	0	0	0	30
CT0101656	MILFORD-HOUSATONIC WPCF	MILFORD	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	12	0	0	0	0
CT0101656	MILFORD-HOUSATONIC WPCF	MILFORD	HOUSATONIC RIVER	PH	2/28/2002	0	0	2	0	0
CT0101656	MILFORD-HOUSATONIC WPCF	MILFORD	HOUSATONIC RIVER	PH	5/31/2002	0	0	2	0	0
CT0101656	MILFORD-HOUSATONIC WPCF	MILFORD	HOUSATONIC RIVER	PH	8/31/2002	0	0	2	0	0
CT0101656	MILFORD-HOUSATONIC WPCF	MILFORD	HOUSATONIC RIVER	PH	11/30/2002	0	0	2	0	0
CT0003263	MILLSTONE POWER STATION	WATERFORD	LONG ISLAND SOUND	CHLORINE, FREE AVAILABLE	1/31/2002	0	0	0	0	28
CT0003263	MILLSTONE POWER STATION	WATERFORD	LONG ISLAND SOUND	CHLORINE, FREE AVAILABLE	10/31/2002	0	0	0	0	12

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0003263	MILLSTONE POWER STATION	WATERFORD	LONG ISLAND SOUND	CHLORINE, FREE AVAILABLE	6/30/2003	0	0	0	0	16
CT0100935	MONTVILLE WPCA	MONTVILLE CENTER	THAMES RIVER	BOD, 5-DAY (20 DEG. C)	11/30/2002	11	0	0	0	0
CT0100935	MONTVILLE WPCA	MONTVILLE CENTER	THAMES RIVER	BOD, 5-DAY (20 DEG. C)	12/31/2002	6	0	0	0	0
CT0100935	MONTVILLE WPCA	MONTVILLE CENTER	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	1/31/2003	0	0	0	0	96
CT0100641	NAUGATUCK WPCF	NAUGATUCK	NAUGATUCK RIVER	COLIFORM, FECAL GENERAL	9/30/2002	0	0	0	0	124
CT0003921	NAVAL SUBMARINE BASE NEW LONDO	GROTON	THAMES RIVER	OIL & GREASE	8/31/2002	0	0	0	0	55
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	1/31/2003	0	0	0	0	74
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	2/28/2003	0	0	0	0	429
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	3/31/2003	0	0	0	0	102
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	6/30/2003	0	0	0	0	36
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	CHLORINE, TOTAL RESIDUAL	10/31/2002	0	0	45	0	0
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	CHLORINE, TOTAL RESIDUAL	12/31/2002	0	0	15	0	0
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	CHLORINE, TOTAL RESIDUAL	1/31/2003	0	0	0	0	3
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	CHLORINE, TOTAL RESIDUAL	2/28/2003	0	0	0	0	5
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	CHLORINE, TOTAL RESIDUAL	5/31/2003	0	0	50	0	0
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	CHLORINE, TOTAL RESIDUAL	6/30/2003	0	0	50	0	0
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	COLIFORM, FECAL GENERAL	8/31/2002	0	0	0	49899	24900
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	COLIFORM, FECAL GENERAL	9/30/2002	0	0	0	0	236

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	COLIFORM, FECAL GENERAL	6/30/2003	0	0	0	0	180
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	11	0	0	0	0
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	1/31/2003	0	0	0	0	92
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	2/28/2003	0	0	0	0	536
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	3/31/2003	0	0	0	0	132
CT0100366	NEW HAVEN EAST SHORE WPCF	NEW HAVEN	NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	6/30/2003	0	0	0	0	70
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	BOD, 5-DAY (20 DEG. C)	4/30/2002	0	0	0	17	260
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	BOD, 5-DAY (20 DEG. C)	4/30/2003	0	0	0	0	26
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	BOD, 5-DAY (20 DEG. C)	5/31/2003	0	0	0	0	40
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	BOD, 5-DAY PERCENT REMOVAL	3/31/2003	0	0	87	0	0
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	BOD, 5-DAY PERCENT REMOVAL	4/30/2003	0	0	327	0	0
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	CHLORINE, TOTAL RESIDUAL	4/30/2002	0	0	50	0	43
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	CHLORINE, TOTAL RESIDUAL	3/31/2003	0	0	0	0	5
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	4/30/2003	3	0	0	0	0
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	2	0	0	0	0
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	PH	3/31/2002	0	0	3	0	0
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	PH	4/30/2002	0	0	3	0	0
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	PH	5/31/2002	0	0	5	0	0
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	4/30/2002	0	0	20	0	0
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	3/31/2003	0	0	153	0	0
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	4/30/2003	0	0	307	0	0
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	5/31/2003	0	0	7	0	0

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	4/30/2002	0	0	0	10	120
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2002	0	0	0	0	68
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2003	0	0	0	0	44
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	4/30/2003	0	0	0	0	82
CT0100382	NEW LONDON STP	NEW LONDON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2003	0	0	0	0	32
CT0101788	NEWTOWN, TOWN OF	NEWTOWN	POOTATUCK RIVER	NITROGEN, AMMONIA, PERCENT REMOVAL	12/31/2002	0	0	66	0	0
CT0101788	NEWTOWN, TOWN OF	NEWTOWN	POOTATUCK RIVER	NITROGEN, AMMONIA, PERCENT REMOVAL	3/31/2003	0	0	52	0	0
CT0101788	NEWTOWN, TOWN OF	NEWTOWN	POOTATUCK RIVER	PH	1/31/2002	0	0	9	0	0
CT0101788	NEWTOWN, TOWN OF	NEWTOWN	POOTATUCK RIVER	PH	2/28/2002	0	0	0	0	2
CT0101788	NEWTOWN, TOWN OF	NEWTOWN	POOTATUCK RIVER	PH	4/30/2002	0	0	0	0	14
CT0101231	NORFOLK WPCF	NORFOLK	BLACKBERRY RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	29	0	0	0	0
CT0101231	NORFOLK WPCF	NORFOLK	BLACKBERRY RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	46	0	0	0	0
CT0101231	NORFOLK WPCF	NORFOLK	BLACKBERRY RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	12/31/2002	0	0	30	0	0
CT0101231	NORFOLK WPCF	NORFOLK	BLACKBERRY RIVER	SOLIDS, TOTAL SUSPENDED	12/31/2002	0	0	0	45	17
CT0100404	NORTH HAVEN WPCF	NORTH HAVEN	QUINNIPIAC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	9	0	0	0	0
CT0100404	NORTH HAVEN WPCF	NORTH HAVEN	QUINNIPIAC RIVER	NITROGEN, AMMONIA TOTAL (AS N)	5/31/2002	0	0	0	3	0
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	BOD, 5-DAY (20 DEG. C)	6/30/2002	0	0	0	0	64
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	BOD, 5-DAY (20 DEG. C)	5/31/2003	0	0	0	0	146
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	BOD, 5-DAY PERCENT REMOVAL	3/31/2002	0	0	80	0	0
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	CHLORINE, TOTAL RESIDUAL	1/31/2002	0	0	0	0	47
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	CHLORINE, TOTAL RESIDUAL	8/31/2002	0	0	0	0	31
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	CHLORINE, TOTAL RESIDUAL	1/31/2003	0	0	0	0	47
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	CHLORINE, TOTAL RESIDUAL	3/31/2003	0	0	0	0	29
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	COLIFORM, FECAL GENERAL	11/30/2002	0	0	0	0	500
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	3/31/2002	0	0	400	0	0

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	3/31/2003	0	0	167	0	0
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2002	0	0	0	0	202
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	SOLIDS, TOTAL SUSPENDED	6/30/2002	0	0	0	0	96
CT0101249	NORWALK STP	NORWALK	NORWALK RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2003	0	0	0	0	474
CT0100412	NORWICH WPCF	NORWICH	THAMES RIVER	CHLORINE, TOTAL RESIDUAL	9/30/2002	0	0	0	0	133
CT0100412	NORWICH WPCF	NORWICH	THAMES RIVER	CHLORINE, TOTAL RESIDUAL	4/30/2003	0	0	0	0	100
CT0100412	NORWICH WPCF	NORWICH	THAMES RIVER	COLIFORM, FECAL GENERAL	6/30/2003	0	0	0	0	25
CT0100412	NORWICH WPCF	NORWICH	THAMES RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	3/31/2002	0	0	33	0	0
CT0100412	NORWICH WPCF	NORWICH	THAMES RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	9/30/2002	0	0	133	0	0
CT0100412	NORWICH WPCF	NORWICH	THAMES RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	4/30/2003	0	0	27	0	0
CT0100412	NORWICH WPCF	NORWICH	THAMES RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	6/30/2003	0	0	7	0	0
CT0003107	NRG DEVON OPERATIONS, INC	MILFORD	HOUSATONIC RIV	NICKEL, TOTAL (AS NI)	6/30/2003	35	0	0	0	0
CT0003883	NRG MIDDLETOWN OPERATIONS, INC	MIDDLETOWN	CONNECTICUT RIVER	FLOW RATE	3/31/2002	3	0	0	0	0
CT0003883	NRG MIDDLETOWN OPERATIONS, INC	MIDDLETOWN	CONNECTICUT RIVER	FLOW RATE	6/30/2002	7	0	0	0	0
CT0003883	NRG MIDDLETOWN OPERATIONS, INC	MIDDLETOWN	CONNECTICUT RIVER	FLOW RATE	7/31/2002	9	0	0	0	0
CT0003883	NRG MIDDLETOWN OPERATIONS, INC	MIDDLETOWN	CONNECTICUT RIVER	FLOW RATE	8/31/2002	13	0	0	0	0
CT0003883	NRG MIDDLETOWN OPERATIONS, INC	MIDDLETOWN	CONNECTICUT RIVER	FLOW RATE	9/30/2002	7	0	0	0	0
CT0003883	NRG MIDDLETOWN OPERATIONS, INC	MIDDLETOWN	CONNECTICUT RIVER	FLOW RATE	1/31/2003	5	0	0	0	0
CT0003883	NRG MIDDLETOWN OPERATIONS, INC	MIDDLETOWN	CONNECTICUT RIVER	LEAD, TOTAL (AS PB)	12/31/2002	15	0	0	0	0
CT0003883	NRG MIDDLETOWN OPERATIONS, INC	MIDDLETOWN	CONNECTICUT RIVER	LEAD, TOTAL (AS PB)	1/31/2003	9	0	0	0	0

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0003115	NRG MONTVILLE OPERATIONS INC	MONTVILLE CENTER	THAMES RIVER	COPPER, TOTAL (AS CU)	4/30/2002	0	26	0	0	0
CT0003115	NRG MONTVILLE OPERATIONS INC	MONTVILLE CENTER	THAMES RIVER	COPPER, TOTAL (AS CU)	5/31/2002	0	109	0	0	0
CT0003115	NRG MONTVILLE OPERATIONS INC	MONTVILLE CENTER	THAMES RIVER	COPPER, TOTAL (AS CU)	11/30/2002	0	81	0	0	0
CT0003115	NRG MONTVILLE OPERATIONS INC	MONTVILLE CENTER	THAMES RIVER	COPPER, TOTAL (AS CU)	4/30/2003	0	2	0	0	0
CT0003115	NRG MONTVILLE OPERATIONS INC	MONTVILLE CENTER	THAMES RIVER	PH	6/30/2002	0	0	10	0	0
CT0003115	NRG MONTVILLE OPERATIONS INC	MONTVILLE CENTER	THAMES RIVER	PH	6/30/2003	0	0	8	0	0
CT0003093	NRG NORWALK HARBOR OPERATIONS	NORWALK	LONG ISLAND SOUND & NORWALK HARBOR	SOLIDS, TOTAL SUSPENDED	9/30/2002	0	0	0	28	0
CT0003093	NRG NORWALK HARBOR OPERATIONS	NORWALK	LONG ISLAND SOUND & NORWALK HARBOR	SOLIDS, TOTAL SUSPENDED	10/31/2002	0	0	0	30	0
CT0021873	OLIN CORPORATION,SOMERS THIN S	WATERBURY	NAUGATUCK RIVER	FLOW	5/31/2003	75	0	0	0	0
CT0021873	OLIN CORPORATION,SOMERS THIN S	WATERBURY	NAUGATUCK RIVER	FLOW, MAXIMUM DURING 24 HR PERIOD	3/31/2002	0	3	0	0	0
CT0100447	PLAINFIELD NORTH WPCF	PLAINFIELD	MOOSUP RIVER	BOD, 5-DAY (20 DEG. C)	1/31/2003	0	0	0	13	0
CT0100447	PLAINFIELD NORTH WPCF	PLAINFIELD	MOOSUP RIVER	BOD, 5-DAY PERCENT REMOVAL	1/31/2003	0	0	13	0	0
CT0100463	PLYMOUTH WPCF	PLYMOUTH	PEQUABUCK RIVER	COPPER, TOTAL (AS CU)	12/31/2002	0	332	0	0	0
CT0100463	PLYMOUTH WPCF	PLYMOUTH	PEQUABUCK RIVER	COPPER, TOTAL (AS CU)	6/30/2003	82	56	0	0	0
CT0100463	PLYMOUTH WPCF	PLYMOUTH	PEQUABUCK RIVER	NITROGEN, AMMONIA TOTAL (AS N)	2/28/2002	0	0	0	22	0
CT0100463	PLYMOUTH WPCF	PLYMOUTH	PEQUABUCK RIVER	ZINC, TOTAL (AS ZN)	3/31/2003	70	66	0	0	0
CT0100463	PLYMOUTH WPCF	PLYMOUTH	PEQUABUCK RIVER	ZINC, TOTAL (AS ZN)	4/30/2003	38	12	0	0	0
CT0100463	PLYMOUTH WPCF	PLYMOUTH	PEQUABUCK RIVER	ZINC, TOTAL (AS ZN)	5/31/2003	18	0	0	0	0
CT0100960	PUTNAM WPCA	PUTNAM	QUINEBAUG RIVER	CHLORINE, TOTAL RESIDUAL	8/31/2002	0	0	0	0	10
CT0100960	PUTNAM WPCA	PUTNAM	QUINEBAUG RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2003	0	0	0	0	10
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	ALUMINUM, TOTAL (AS AL)	3/31/2002	0	6	0	0	0

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	ALUMINUM, TOTAL (AS AL)	4/30/2002	0	14	0	0	0
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	BOD, 5-DAY (20 DEG. C)	1/31/2002	0	0	0	34	120
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	BOD, 5-DAY (20 DEG. C)	4/30/2002	0	0	0	0	4
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	BOD, 5-DAY (20 DEG. C)	9/30/2002	0	0	0	0	42
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	BOD, 5-DAY (20 DEG. C)	11/30/2002	0	0	0	0	14
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	BOD, 5-DAY (20 DEG. C)	12/31/2002	0	0	0	122	160
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	BOD, 5-DAY (20 DEG. C)	1/31/2003	0	0	0	83	200
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	BOD, 5-DAY (20 DEG. C)	3/31/2003	0	0	0	8	0
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	BOD, 5-DAY (20 DEG. C)	4/30/2003	0	0	0	0	24
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	BOD, 5-DAY (20 DEG. C)	5/31/2003	0	0	0	44	0
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	BOD, 5-DAY (20 DEG. C)	6/30/2003	0	0	0	3	8
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	FLOW	10/31/2002	0	1	0	0	0
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	FLOW	3/31/2003	0	4	0	0	0
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	FLOW RATE	10/31/2002	6	0	0	0	0
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	FLOW, MAXIMUM DURING 24 HR PERIOD	10/31/2002	0	2	0	0	0
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	FLOW, MAXIMUM DURING 24 HR PERIOD	3/31/2003	0	5	0	0	0
CT0025305	QUALITY ROLLING & DEBURRING CO	THOMASTON	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2003	0	0	0	0	33
CT0100480	ROCKY HILL WPCP	ROCKY HILL	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	6/30/2002	0	0	0	49899	24900

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0100480	ROCKY HILL WPCP	ROCKY HILL	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	11/30/2002	6	0	0	0	0
CT0100480	ROCKY HILL WPCP	ROCKY HILL	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	12/31/2002	38	0	0	0	0
CT0100480	ROCKY HILL WPCP	ROCKY HILL	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	1/31/2003	23	0	0	0	0
CT0100480	ROCKY HILL WPCP	ROCKY HILL	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	70	0	0	0	0
CT0100480	ROCKY HILL WPCP	ROCKY HILL	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	4/30/2003	31	0	0	0	0
CT0100480	ROCKY HILL WPCP	ROCKY HILL	CONNECTICUT RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	61	0	0	0	0
CT0026808	SEIDEL INC	WATERBURY	NAUGATUCK RIVER	ALUMINUM, TOTAL (AS AL)	4/30/2003	0	0	0	0	4
CT0026808	SEIDEL INC	WATERBURY	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	2/28/2002	0	0	0	0	13
CT0026808	SEIDEL INC	WATERBURY	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2002	0	0	0	0	17
CT0026808	SEIDEL INC	WATERBURY	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	4/30/2003	0	0	0	0	20
CT0001716	SIKORSKY AIRCRAFT CORP.	STRATFORD	HOUSATONIC RIVER	FLOW, MAXIMUM DURING 24 HR PERIOD	10/31/2002	0	10	0	0	0
CT0001716	SIKORSKY AIRCRAFT CORP.	STRATFORD	HOUSATONIC RIVER	SOLIDS, TOTAL SUSPENDED	8/31/2002	0	0	0	0	33
CT0001716	SIKORSKY AIRCRAFT CORP.	STRATFORD	HOUSATONIC RIVER	TITANIUM, TOTAL (AS TI)	8/31/2002	0	0	0	22	103
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	BOD, 5-DAY (20 DEG. C)	10/31/2002	0	0	0	33	20
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	BOD, 5-DAY (20 DEG. C)	11/30/2002	0	0	0	27	18
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	BOD, 5-DAY (20 DEG. C)	12/31/2002	0	0	0	57	12
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	BOD, 5-DAY (20 DEG. C)	1/31/2003	0	0	0	7	0
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	BOD, 5-DAY (20 DEG. C)	4/30/2003	0	0	0	13	0
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	BOD, 5-DAY PERCENT REMOVAL	12/31/2002	0	0	7	0	0
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	0	0	80
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2002	0	0	0	0	60
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	CHLORINE, TOTAL RESIDUAL	8/31/2002	0	0	0	0	20
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	COLIFORM, FECAL GENERAL	5/31/2002	0	0	0	0	230
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	COLIFORM, FECAL GENERAL	6/30/2002	0	0	0	0	42
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	SOLIDS, TOTAL SUSPENDED	10/31/2002	0	0	0	0	104
CT0100919	SIMSBURY WPCF	SIMSBURY	FARMINGTON RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2003	0	0	0	0	16

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0100510	SOUTH WINDSOR WPCF	SOUTH WINDSOR	CONNECTICUT RIVER	BOD, 5-DAY (20 DEG. C)	3/31/2002	0	0	0	7	0
CT0100510	SOUTH WINDSOR WPCF	SOUTH WINDSOR	CONNECTICUT RIVER	BOD, 5-DAY (20 DEG. C)	9/30/2002	0	0	0	16	156
CT0100510	SOUTH WINDSOR WPCF	SOUTH WINDSOR	CONNECTICUT RIVER	BOD, 5-DAY (20 DEG. C)	10/31/2002	0	0	0	124	332
CT0100510	SOUTH WINDSOR WPCF	SOUTH WINDSOR	CONNECTICUT RIVER	BOD, 5-DAY (20 DEG. C)	11/30/2002	0	0	0	0	1
CT0100510	SOUTH WINDSOR WPCF	SOUTH WINDSOR	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	9/30/2002	0	0	0	0	433
CT0100510	SOUTH WINDSOR WPCF	SOUTH WINDSOR	CONNECTICUT RIVER	COLIFORM, FECAL GENERAL	5/31/2003	0	0	0	0	34
CT0100510	SOUTH WINDSOR WPCF	SOUTH WINDSOR	CONNECTICUT RIVER	PH	12/31/2002	0	0	3	0	0
CT0100510	SOUTH WINDSOR WPCF	SOUTH WINDSOR	CONNECTICUT RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2002	0	0	0	0	17
CT0100510	SOUTH WINDSOR WPCF	SOUTH WINDSOR	CONNECTICUT RIVER	SOLIDS, TOTAL SUSPENDED	9/30/2002	0	0	0	51	206
CT0100510	SOUTH WINDSOR WPCF	SOUTH WINDSOR	CONNECTICUT RIVER	SOLIDS, TOTAL SUSPENDED	10/31/2002	0	0	0	109	372
CT0100510	SOUTH WINDSOR WPCF	SOUTH WINDSOR	CONNECTICUT RIVER	SOLIDS, TOTAL SUSPENDED	11/30/2002	0	0	0	0	17
CT0003751	SPRAGUE PAPERBOARD, INC.	SPRAGUE	LITTLE RIVER/PAPER MILL POND	TEMPERATURE, WATER DEG. FAHRENHEIT	8/31/2002	0	0	0	0	4
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	0	0	17
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	CHLORINE, TOTAL RESIDUAL	8/31/2002	0	0	0	0	47
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	CHLORINE, TOTAL RESIDUAL	9/30/2002	0	0	0	0	37
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	CHLORINE, TOTAL RESIDUAL	10/31/2002	0	0	0	0	73
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	CHLORINE, TOTAL RESIDUAL	11/30/2002	0	0	0	0	40
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	CHLORINE, TOTAL RESIDUAL	12/31/2002	0	0	0	0	30
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	CHLORINE, TOTAL RESIDUAL	1/31/2003	0	0	0	0	37
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	CHLORINE, TOTAL RESIDUAL	2/28/2003	0	0	0	0	27
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	CHLORINE, TOTAL RESIDUAL	3/31/2003	0	0	0	0	7
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	CHLORINE, TOTAL RESIDUAL	4/30/2003	0	0	0	0	33
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	COLIFORM, FECAL GENERAL	5/31/2003	0	0	0	0	2

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2002	7	0	0	0	0
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	1/31/2003	3	0	0	0	0
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	21	0	0	0	0
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	OXYGEN, DISSOLVED (DO)	2/28/2002	0	0	3	0	0
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	OXYGEN, DISSOLVED (DO)	10/31/2002	0	0	3	0	0
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	OXYGEN, DISSOLVED (DO)	2/28/2003	0	0	3	0	0
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	SOLIDS, TOTAL SUSPENDED	1/31/2002	0	0	0	5	0
CT0101087	STAMFORD STP	STAMFORD	STAMFORD HARBOR	SOLIDS, TOTAL SUSPENDED	2/28/2002	0	0	0	15	0
CT0101290	STONINGTON-PAWCATUCK WPCF	STONINGTON	PAWCATUCK RIVER	CHLORINE, TOTAL RESIDUAL	2/28/2002	0	0	50	0	0
CT0101290	STONINGTON-PAWCATUCK WPCF	STONINGTON	PAWCATUCK RIVER	CHLORINE, TOTAL RESIDUAL	4/30/2002	0	0	0	0	7
CT0101290	STONINGTON-PAWCATUCK WPCF	STONINGTON	PAWCATUCK RIVER	CHLORINE, TOTAL RESIDUAL	1/31/2003	0	0	0	0	33
CT0101036	STRATFORD WPCF	STRATFORD	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	12/31/2002	1	0	0	0	0
CT0101036	STRATFORD WPCF	STRATFORD	HOUSATONIC RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	17	0	0	0	0
CT0100552	SUFFIELD WPCF	SUFFIELD	STONY BROOK	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	11	0	0	0	0
CT0100552	SUFFIELD WPCF	SUFFIELD	STONY BROOK	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	12	0	0	0	0
CT0001180	SUMMIT CORPORATION OF AMERICA	THOMASTON	NAUGATUCK RIVER	CYANIDE, TOTAL (AS CN)	2/28/2003	0	0	0	27	0
CT0100781	THOMASTON WPCF	THOMASTON	NAUGATUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	5	0	0	0	0
CT0100781	THOMASTON WPCF	THOMASTON	NAUGATUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	14	0	0	0	0
CT0100781	THOMASTON WPCF	THOMASTON	NAUGATUCK RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	1/31/2003	0	0	33	0	0
CT0100781	THOMASTON WPCF	THOMASTON	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2002	0	0	0	0	24
CT0100781	THOMASTON WPCF	THOMASTON	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	1/31/2003	0	0	0	4	24
CT0100781	THOMASTON WPCF	THOMASTON	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2003	0	0	0	0	36

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0100781	THOMASTON WPCF	THOMASTON	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2003	0	0	0	0	48
CT0100579	TORRINGTON WPCF	TORRINGTON	NAUGATUCK RIVER	CHLORINE, TOTAL RESIDUAL	9/30/2002	0	0	0	0	300
CT0100579	TORRINGTON WPCF	TORRINGTON	NAUGATUCK RIVER	COLIFORM, FECAL GENERAL	8/31/2002	0	0	0	49899	24900
CT0100579	TORRINGTON WPCF	TORRINGTON	NAUGATUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	16	0	0	0	0
CT0100579	TORRINGTON WPCF	TORRINGTON	NAUGATUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	5	0	0	0	0
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	BOD, 5-DAY (20 DEG. C)	5/31/2002	0	0	0	3	8
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	BOD, 5-DAY (20 DEG. C)	6/30/2002	0	0	0	13	60
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	CHLORINE, TOTAL RESIDUAL	2/28/2002	0	0	0	0	108
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	COLIFORM, FECAL GENERAL	6/30/2003	0	0	0	0	22
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	2/28/2002	0	0	0	0	8
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	4/30/2002	0	0	0	0	18
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2002	0	0	0	0	20
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	6/30/2002	0	0	0	13	102
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	2/28/2003	0	0	0	0	54
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2003	0	0	0	0	28
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	5/31/2003	0	0	0	0	18
CT0100242	TOWN OF GROTON	GROTON	THAMES RIVER	SOLIDS, TOTAL SUSPENDED	6/30/2003	0	0	0	0	86
CT0100854	TOWN OF RIDGEFIELD WPCF	RIDGEFIELD	GREAT SWAMP TRIP TO NORWALK RIVER	BOD, 5-DAY PERCENT REMOVAL	12/31/2002	0	0	53	0	0
CT0100854	TOWN OF RIDGEFIELD WPCF	RIDGEFIELD	GREAT SWAMP TRIP TO NORWALK RIVER	NITROGEN, AMMONIA TOTAL (AS N)	7/31/2002	0	0	0	0	44
CT0100854	TOWN OF RIDGEFIELD WPCF	RIDGEFIELD	GREAT SWAMP TRIP TO NORWALK RIVER	NITROGEN, AMMONIA TOTAL (AS N)	8/31/2002	0	0	0	0	12
CT0100854	TOWN OF RIDGEFIELD WPCF	RIDGEFIELD	GREAT SWAMP TRIP TO NORWALK RIVER	NITROGEN, AMMONIA TOTAL (AS N)	9/30/2002	0	0	0	0	19
CT0100854	TOWN OF RIDGEFIELD WPCF	RIDGEFIELD	GREAT SWAMP TRIP TO NORWALK RIVER	OXYGEN, DISSOLVED (DO)	7/31/2002	0	0	48	0	0
CT0001376	UNITED TECHNOLOGIES, PRATT &	EAST HARTFORD	CONNECTICUT RIVER	COPPER, TOTAL (AS CU)	1/31/2002	0	0	0	0	100
CT0001376	UNITED TECHNOLOGIES, PRATT &	EAST HARTFORD	CONNECTICUT RIVER	COPPER, TOTAL (AS CU)	4/30/2002	0	0	0	0	29

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0001376	UNITED TECHNOLOGIES, PRATT &	EAST HARTFORD	CONNECTICUT RIVER	COPPER, TOTAL (AS CU)	7/31/2002	0	0	0	0	143
CT0001376	UNITED TECHNOLOGIES, PRATT &	EAST HARTFORD	CONNECTICUT RIVER	COPPER, TOTAL (AS CU)	10/31/2002	0	0	0	0	14
CT0001376	UNITED TECHNOLOGIES, PRATT &	EAST HARTFORD	CONNECTICUT RIVER	COPPER, TOTAL (AS CU)	1/31/2003	0	0	0	0	86
CT0001376	UNITED TECHNOLOGIES, PRATT &	EAST HARTFORD	CONNECTICUT RIVER	COPPER, TOTAL (AS CU)	4/30/2003	0	0	0	0	29
CT0001376	UNITED TECHNOLOGIES, PRATT &	EAST HARTFORD	CONNECTICUT RIVER	PH	7/31/2002	0	0	0	0	7
CT0001376	UNITED TECHNOLOGIES, PRATT &	EAST HARTFORD	CONNECTICUT RIVER	ZINC, TOTAL (AS ZN)	1/31/2002	43	0	0	0	0
CT0101320	UNIVERSITY OF CONNECTICUT	MANSFIELD	WILLIMANTIC RIVER	BOD, 5-DAY (20 DEG. C)	4/30/2003	0	0	0	0	3
CT0101320	UNIVERSITY OF CONNECTICUT	MANSFIELD	WILLIMANTIC RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2003	0	0	0	0	378
CT0101320	UNIVERSITY OF CONNECTICUT	MANSFIELD	WILLIMANTIC RIVER	COLIFORM, FECAL GENERAL	7/31/2002	0	0	0	0	65
CT0101320	UNIVERSITY OF CONNECTICUT	MANSFIELD	WILLIMANTIC RIVER	COLIFORM, FECAL GENERAL	8/31/2002	0	0	0	0	13
CT0100609	VERNON WPCF	VERNON	HOCKAMAN RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	90	0	0
CT0100609	VERNON WPCF	VERNON	HOCKAMAN RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2002	0	0	90	0	0
CT0100609	VERNON WPCF	VERNON	HOCKAMAN RIVER	CHLORINE, TOTAL RESIDUAL	7/31/2002	0	0	90	0	0
CT0100609	VERNON WPCF	VERNON	HOCKAMAN RIVER	CHLORINE, TOTAL RESIDUAL	8/31/2002	0	0	90	0	0
CT0100609	VERNON WPCF	VERNON	HOCKAMAN RIVER	CHLORINE, TOTAL RESIDUAL	9/30/2002	0	0	90	0	0
CT0100609	VERNON WPCF	VERNON	HOCKAMAN RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2003	0	0	90	0	0
CT0100609	VERNON WPCF	VERNON	HOCKAMAN RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2003	0	0	90	0	0
CT0100609	VERNON WPCF	VERNON	HOCKAMAN RIVER	SOLIDS, TOTAL SUSPENDED	10/31/2002	0	0	0	0	26
CT0100617	WALLINGFORD WPCF	WALLINGFORD	QUINNIPIAC RIVER	OXYGEN, DISSOLVED (DO)	6/30/2003	0	0	1	0	0
CT0100617	WALLINGFORD WPCF	WALLINGFORD	QUINNIPIAC RIVER	SOLIDS, TOTAL SUSPENDED	12/31/2002	0	0	0	0	78
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	BOD, 5-DAY (20 DEG. C)	1/31/2003	0	0	0	83	330
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	BOD, 5-DAY PERCENT REMOVAL	1/31/2003	0	0	147	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	BOD, 5-DAY PERCENT REMOVAL	3/31/2003	0	0	27	0	0

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	COLIFORM, FECAL GENERAL	5/31/2002	0	0	0	3	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	COLIFORM, FECAL GENERAL	8/31/2002	0	0	0	0	138
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	1/31/2003	2482	0	0	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	3/31/2003	2710	0	0	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	4/30/2003	2461	0	0	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	4	0	0	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	NITROGEN, AMMONIA TOTAL (AS N)	10/31/2002	0	0	0	0	27
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	OXYGEN, DISSOLVED (DO)	9/30/2002	0	0	30	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	OXYGEN, DISSOLVED (DO)	12/31/2002	0	0	16	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	OXYGEN, DISSOLVED (DO)	1/31/2003	0	0	8	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	OXYGEN, DISSOLVED (DO)	4/30/2003	0	0	8	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	OXYGEN, DISSOLVED (DO)	6/30/2003	0	0	18	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	1/31/2003	0	0	333	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	2/28/2003	0	0	13	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	3/31/2003	0	0	120	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	SOLIDS, SUSPENDED PERCENT REMOVAL	4/30/2003	0	0	13	0	0
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	1/31/2003	0	0	0	228	587
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2003	0	0	0	50	57
CT0100625	WATERBURY WPCF	WATERBURY	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	4/30/2003	0	0	0	0	27
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	1/31/2002	0	0	0	30	174
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	2/28/2002	0	0	0	17	194

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	5/31/2002	0	0	0	0	84
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	6/30/2002	0	0	0	0	188
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	7/31/2002	0	0	0	0	73
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	8/31/2002	0	0	0	0	76
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	9/30/2002	0	0	0	0	8
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	10/31/2002	0	0	0	0	38
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	3/31/2003	0	0	0	0	40
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	4/30/2003	0	0	0	0	184
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY (20 DEG. C)	6/30/2003	0	0	0	0	82
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY PERCENT REMOVAL	1/31/2002	0	0	29	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	BOD, 5-DAY PERCENT REMOVAL	2/28/2002	0	0	7	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	CHLORINE, TOTAL RESIDUAL	1/31/2002	0	0	50	0	0

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	50	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	CHLORINE, TOTAL RESIDUAL	7/31/2002	0	0	50	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	CHLORINE, TOTAL RESIDUAL	10/31/2002	0	0	50	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	CHLORINE, TOTAL RESIDUAL	11/30/2002	0	0	50	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	COLIFORM, FECAL GENERAL	1/31/2002	0	0	0	0	337
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	COLIFORM, FECAL GENERAL	2/28/2002	0	0	0	0	205
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	COLIFORM, FECAL GENERAL	4/30/2002	0	0	0	0	327
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	COLIFORM, FECAL GENERAL	7/31/2002	0	0	0	0	7
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	COLIFORM, FECAL GENERAL	8/31/2002	0	0	0	0	24900
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	COLIFORM, FECAL GENERAL	9/30/2002	0	0	0	49899	24900
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	COLIFORM, FECAL GENERAL	10/31/2002	0	0	0	0	200
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, SUSPENDED PERCENT REMOVAL	1/31/2002	0	0	113	0	0

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, SUSPENDED PERCENT REMOVAL	2/28/2002	0	0	73	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, SUSPENDED PERCENT REMOVAL	5/31/2002	0	0	7	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, SUSPENDED PERCENT REMOVAL	6/30/2002	0	0	12	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, SUSPENDED PERCENT REMOVAL	8/31/2002	0	0	28	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, SUSPENDED PERCENT REMOVAL	9/30/2002	0	0	61	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, SUSPENDED PERCENT REMOVAL	10/31/2002	0	0	1	0	0
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	1/31/2002	0	0	0	77	192
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	2/28/2002	0	0	0	67	262
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	4/30/2002	0	0	0	0	38
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	5/31/2002	0	0	0	0	106
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	6/30/2002	0	0	0	7	306
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	7/31/2002	0	0	0	0	32

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	8/31/2002	0	0	0	47	276
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	9/30/2002	0	0	0	0	110
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	10/31/2002	0	0	0	53	328
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	4/30/2003	0	0	0	0	290
CT0101079	WEST HAVEN WPCF	WEST HAVEN	LONG ISLAND SOUND/NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	6/30/2003	0	0	0	0	88
CT0100684	WESTPORT WPCF	WESTPORT	SAUGATUCK RIVER	CHLORINE, TOTAL RESIDUAL	9/30/2002	0	0	100	0	0
CT0100684	WESTPORT WPCF	WESTPORT	SAUGATUCK RIVER	CHLORINE, TOTAL RESIDUAL	10/31/2002	0	0	100	0	0
CT0100684	WESTPORT WPCF	WESTPORT	SAUGATUCK RIVER	CHLORINE, TOTAL RESIDUAL	1/31/2003	0	0	100	0	0
CT0100684	WESTPORT WPCF	WESTPORT	SAUGATUCK RIVER	COLIFORM, FECAL GENERAL	5/31/2003	0	0	0	49899	24900
CT0100684	WESTPORT WPCF	WESTPORT	SAUGATUCK RIVER	FLOW, IN CONDUIT OR THRU TREATMENT PLANT	6/30/2003	2	0	0	0	0
CT0100684	WESTPORT WPCF	WESTPORT	SAUGATUCK RIVER	PH	5/31/2002	0	0	17	0	0
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	CHROMIUM, HEXAVALENT (AS CR)	3/31/2002	0	0	0	3380	3388
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	COPPER, TOTAL (AS CU)	6/30/2003	0	1	0	0	0
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	CYANIDE, TOTAL (AS CN)	8/31/2002	41	51	0	10	19
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	CYANIDE, TOTAL (AS CN)	6/30/2003	21	75	0	16	117
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	CYANIDE,FREE (AMEN. TO CHLORINATION)	6/30/2002	0	0	0	0	47
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	CYANIDE,FREE (AMEN. TO CHLORINATION)	7/31/2002	0	0	0	0	95

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	CYANIDE, FREE (AMEN. TO CHLORINATION)	1/31/2003	0	0	0	0	63
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	FLUORIDE - FREE	1/31/2002	0	0	0	43	49
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	FLUORIDE - FREE	2/28/2002	0	0	0	27	13
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	FLUORIDE - FREE	6/30/2002	0	0	0	0	26
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	FLUORIDE - FREE	7/31/2002	0	0	0	22	99
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	FLUORIDE - FREE	9/30/2002	0	0	0	0	12
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	FLUORIDE - FREE	11/30/2002	0	0	0	13	31
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	FLUORIDE - FREE	6/30/2003	0	0	0	0	1
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	NICKEL, TOTAL (AS NI)	4/30/2002	0	0	0	75	29
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	NICKEL, TOTAL (AS NI)	5/31/2002	0	0	0	15	0
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	NICKEL, TOTAL (AS NI)	7/31/2002	0	0	0	1	0
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	NITROGEN, AMMONIA TOTAL (AS N)	7/31/2002	19	0	0	133	3
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	NITROGEN, AMMONIA TOTAL (AS N)	8/31/2002	0	0	0	127	13
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	NITROGEN, AMMONIA TOTAL (AS N)	9/30/2002	0	0	0	4	0
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	PH	5/31/2003	0	0	0	0	5
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	3/31/2002	0	0	0	6	0
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	4/30/2002	0	0	0	56	160
CT0001457	WHYCO TECHNOLOGIES INC.	THOMASTON	NAUGATUCK RIVER	SOLIDS, TOTAL SUSPENDED	10/31/2002	0	0	0	25	41

NPDES Permit Number	Facility Name	City	Receiving Waters	Parameter	Report Period End Date	Qty Avg % Violation	Qty Max % Violation	Conc Min % Violation	Conc Avg % Violation	Conc Max % Violation
CT0101222	WINCHESTER WPCF/WINSTED WPCF	WINCHESTER	STILL RIVER	NITROGEN, AMMONIA TOTAL (AS N)	1/31/2002	0	0	0	25	0
CT0101222	WINCHESTER WPCF/WINSTED WPCF	WINCHESTER	STILL RIVER	SOLIDS, TOTAL SUSPENDED	6/30/2002	0	0	0	894	1203
CT0101001	WINDHAM TOWN OF	WINDHAM	SHETUCKET RIVER	BOD, 5-DAY (20 DEG. C)	1/31/2002	0	0	0	0	40
CT0101001	WINDHAM TOWN OF	WINDHAM	SHETUCKET RIVER	BOD, 5-DAY (20 DEG. C)	6/30/2002	0	0	0	0	50
CT0101001	WINDHAM TOWN OF	WINDHAM	SHETUCKET RIVER	BOD, 5-DAY (20 DEG. C)	8/31/2002	0	0	0	0	34
CT0101001	WINDHAM TOWN OF	WINDHAM	SHETUCKET RIVER	BOD, 5-DAY (20 DEG. C)	9/30/2002	0	0	0	0	20
CT0101001	WINDHAM TOWN OF	WINDHAM	SHETUCKET RIVER	BOD, 5-DAY (20 DEG. C)	2/28/2003	0	0	0	0	24
CT0101001	WINDHAM TOWN OF	WINDHAM	SHETUCKET RIVER	BOD, 5-DAY (20 DEG. C)	3/31/2003	0	0	0	13	34
CT0101001	WINDHAM TOWN OF	WINDHAM	SHETUCKET RIVER	CHLORINE, TOTAL RESIDUAL	4/30/2002	0	0	0	0	43
CT0101001	WINDHAM TOWN OF	WINDHAM	SHETUCKET RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	0	0	2471
CT0101001	WINDHAM TOWN OF	WINDHAM	SHETUCKET RIVER	CHLORINE, TOTAL RESIDUAL	4/30/2003	0	0	0	0	143
CT0101001	WINDHAM TOWN OF	WINDHAM	SHETUCKET RIVER	SOLIDS, TOTAL SUSPENDED	1/31/2002	0	0	0	0	124
CT0101001	WINDHAM TOWN OF	WINDHAM	SHETUCKET RIVER	SOLIDS, TOTAL SUSPENDED	1/31/2003	0	0	0	0	34
CT0101591	WINDSOR LOCKS WPCF	WINDSOR LOCKS	CONNECTICUT RIVER	CARBONACEOUS OXYGEN DEMAND, % REMOVAL	2/28/2002	0	0	33	0	0
CT0101591	WINDSOR LOCKS WPCF	WINDSOR LOCKS	CONNECTICUT RIVER	CHLORINE, TOTAL RESIDUAL	5/31/2002	0	0	0	0	23
CT0101591	WINDSOR LOCKS WPCF	WINDSOR LOCKS	CONNECTICUT RIVER	CHLORINE, TOTAL RESIDUAL	6/30/2002	0	0	0	0	13
CT0101591	WINDSOR LOCKS WPCF	WINDSOR LOCKS	CONNECTICUT RIVER	CHLORINE, TOTAL RESIDUAL	8/31/2002	0	0	0	0	5
CT0101591	WINDSOR LOCKS WPCF	WINDSOR LOCKS	CONNECTICUT RIVER	SOLIDS, TOTAL SUSPENDED	2/28/2002	0	0	0	0	16
CT0003760	WISVEST CONNECTICUT LLC	NEW HAVEN	NEW HAVEN HARBOR	COPPER, DISSOLVED (AS CU)	10/31/2002	0	0	0	0	80
CT0003760	WISVEST CONNECTICUT LLC	NEW HAVEN	NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	11/30/2002	0	0	0	0	107
CT0003760	WISVEST CONNECTICUT LLC	NEW HAVEN	NEW HAVEN HARBOR	SOLIDS, TOTAL SUSPENDED	1/31/2003	0	0	0	0	47